

## DIN rail perforated - NS 35/ 7,5 PERF 755MM - 1207640


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



DIN rail, material: steel galvanized and passivated with a thick layer, perforated, height 7.5 mm, width 35 mm, length: 755 mm



### Key commercial data

Packing unit	1 PCE
Minimum order quantity	10 PCE
Catalog page	Page 341 (CL2-2011)
GTIN	 4 017918 932640
Custom tariff number	72166190
Country of origin	GERMANY

### Technical data

#### General data

Height	7.5 mm
Length	755 mm
Width	35 mm
Material	Steel
Coating	Galvanized, passivated with a thick layer
Color	silver
Test standard	In acc. with EN 60715: 2001

### Classifications

#### ETIM

ETIM 2.0	EC001285
----------	----------

## DIN rail perforated - NS 35/ 7,5 PERF 755MM - 1207640

### Classifications

#### ETIM

ETIM 3.0	EC001285
ETIM 4.0	EC001285
ETIM 5.0	EC001285

#### UNSPSC

UNSPSC 11	39121708
UNSPSC 12.01	39121708
UNSPSC 13.2	39121708
UNSPSC 6.01	30212109
UNSPSC 7.0901	39121708

#### eCl@ss

eCl@ss 4.0	27110804
eCl@ss 4.1	27110804
eCl@ss 5.0	27141143
eCl@ss 5.1	27141143
eCl@ss 6.0	27141143
eCl@ss 7.0	27141143

### Drawings

# DIN rail perforated - NS 35/ 7,5 PERF 755MM - 1207640

Dimensioned drawing

